



EDX Markets™ FIX Specifications – Order Entry

EDX Markets

v1.0.13

These specifications are being provided to you strictly for informational purposes solely for the purpose of developing or operating systems for your use that interact with systems of EDX Markets LLC ("EDX Markets™"). These specifications are proprietary to EDX Markets™ and constitute the intellectual property of EDX Markets™. All title and intellectual property rights in and to the specifications is owned exclusively by EDX Markets™ and its parent and affiliates; other than as expressly set forth herein, no license or other rights in or to the specifications and intellectual property rights related thereto are granted to you. EDX Markets™ reserves the right to withdraw, modify, or replace the specifications at any time, without notice. No agreement is provided by EDX Markets™ regarding the level, scope, or timing of EDX Markets™ implementation of the functions or features discussed in these specifications. THESE SPECIFICATIONS ARE PROVIDED TO YOU "AS IS", "WITH ALL FAULTS" AND EDX DISCLAIMS ANY AND ALL WARRANTIES, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE TO THE SPECIFICATIONS. EDX MARKETS™ WILL NOT BE LIABLE FOR ANY INCOMPLETENESS OR INACCURACIES. EDX MARKETS™ WILL NOT BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, OR CONSEQUENTIAL DAMAGES HOWEVER CAUSED, WHETHER IN CONTRACT, TORT OR UNDER ANY OTHER THEORY OF LIABILITY, RELATING TO THE SPECIFICATIONS OR THEIR USE, EVEN IF IT HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. It is further agreed by you that, by using these specifications, you agree not to copy, reproduce, or permit access to the information contained in the specifications except to those with a need-to-know for the purposes stated above. It is emphasized that these specifications are provided to you in reliance upon your acknowledgement and acceptance that this material is being solely made to and direct at you for the purposes of lawfully using these specifications.

EDX Markets™ FIX Specifications – Order Entry

v1.0.13

Table of Contents

Change Log.....	3
Overview.....	4
Interaction Model.....	4
Supported Messages.....	5
Session Messages.....	6
Standard Header.....	6
Standard Footer.....	6
Logon (IN).....	6
Logon (OUT).....	7
Logout (OUT).....	8
Application Messages.....	8
NewOrderSingle (IN).....	8
OrderCancelRequest (IN).....	10
OrderCancelReplaceRequest (IN).....	10
OrderMassCancelRequest (IN).....	11
OrderMassStatusRequest (IN).....	12
OrderMassStatusRequest (OUT).....	12
ExecutionReport (OUT).....	14
OrderCancelReject (OUT).....	18
OrderMassCancelReport (OUT).....	19

Change Log

Date	Section / Message(s)	Description
3/4/2024	N/A	Initial v1.0 release of FIX Order Entry specifications for EDX Markets match engine.
3/14/2024	Logon Message	v1.0.1 - Updated sample Logon message to include standard header/footer.
3/26/2024	Tag 18 - ExecInst	v1.0.2 - Removed option for cancel on system failure.
3/26/2024	Tag 851 - LastLiquidityInd	v1.0.2 - Enumerated options for liquidity codes.
4/24/2024	ExecutionReport, OrderCancelReject	v1.0.3 - Enumerated options for CxlRejReason and OrdRejReason codes
4/25/2024	OrderMassCancelRequest (IN)	v1.0.4 - Updated OrderMassCancelRequest (IN) to correct MsgType 35='q'
4/26/2024	Login (IN)	v1.0.5 - Updated ResetSeqNumFlag
4/26/2024	Logout (OUT)	v1.0.5 - Updated ResetSeqNumFlag
4/26/2024	OrderMassCancelRequest (IN)	v1.0.5 - Updated required = 'Y'
4/26/2024	Login (IN)	v1.0.5 - Updated ResetSeqNumFlag values/comments
4/26/2024	Logout (OUT)	v1.0.5 - Updated ResetSeqNumFlag values/comments
4/29/2024	Interaction Model	v1.0.6 - Added interaction model
5/1/2024	Throttle Limits	v1.0.7 - Added Throttle Limits
5/3/2024	OrderMassStatusRequest (OUT), ExecutionReport (OUT), OrderCancelReject (OUT)	v1.0.8 - Added references to values 8 [REJECTED] and C [EXPIRED] for Tag 39 (OrdStatus)
5/3/2024	OrderMassStatusRequest (OUT)	v1.0.8 - Removed reference to D [RESTATED] and added I [ORDER STATUS] for Tag 150 (ExecType)
5/7/2024	OrderMassStatusRequest (OUT), ExecutionReport (OUT)	v1.0.9 - Removed reference to 5 [REPLACED] for Tag 150 (ExecType)
5/7/2024	ExecutionReport (OUT)	v1.0.9 - Removed reference to D [RESTATED] for Tag 150 (ExecType)
5/9/2024	OrderMassCancelRequest (IN), OrderMassCancelReport (OUT)	v1.0.10 - Corrected example for mass cancel requests and reports from occurring at account level to occurring at the session level
5/13/2024	Sequence Reset	v1.0.11 - Added Sequence Reset section


5/13/2024	Cancel on Disconnect	V1.0.11 - Added COD section
5/14/2024	OrderMassStatusRequest (OUT) ExecutionReport (OUT)	V1.0.12 - AvgPx changed to "Always 0"
6/7/2024	Sequence Reset	V1.0.13 - Added interaction model

Overview

EDX Markets FIX specifications are based on the FIX Trading Community FIX 5.0 SP2 specifications.

Interaction Model

- Upon Logon, a Logon (OUT) request is sent, but no other application messages are sent without a corresponding request.
- A Mass Order Status (IN) message must be sent to receive Mass Order Status (OUT) messages.
- A Mass Cancel (IN) message must be sent to receive Mass Cancel (OUT) messages.



Throttle Limits

The following throttle limits are applied at the FIX ID level and are administered by EDX market operations.

- Maximum messages per account: 1000 messages per 5 seconds.
- In the event the user exceeds the throttle limits listed above, the user will be disconnected from the session and receive the message RATE_LIMIT_EXCEEDED as the reason for disconnecting.

Sequence Reset

- A daily reset occurs at 12pm ET. We follow the FIX protocol convention for resetting sequence numbers back to 1.



Cancel On Disconnect

- Cancel on Disconnect is configured by default for all FIX Order Entry session IDs. Upon a disconnect all GTD/GTT orders will be cancelled, but GTC orders will remain on the book.

Supported Messages

The following convention is used in this document to indicate message direction:

- IN: a message type received by EDX.
- OUT: a message type originating from EDX.
- IN/OUT: a message type that can be sent to or from EDX.

The values under the “Required” column indicate one of the following:

- ‘Y’ – field is mandatory and must be sent or received as a part of the message.
- ‘N’ – field is not required and should be omitted unless otherwise directed by EDX.
- ‘N/A’ – field is not used in the context of the message.

Session Messages

Standard Header

Tag	Field Name	Req'd	Values/Comments
8	Begin string	Y	'FIXT.1.1'. Message start. Must be the first field in the message.
9	Body Length	Y	Length of the FIX message. Must be the second field in the message.
35	MsgType	Y	Type of FIX message. Must be the third field in the message.
49	SenderCompID	Y	Message sender's ID. Assigned at onboarding (same as Username).
56	TargetCompID	Y	'EDXM'.
34	MsgSeqNum	Y	Message sequence number.
52	SendingTime	Y	UTC timestamp. Time of message.
43	PossDupeFlag	N	Required for retransmitted messages, whether prompted by the sending system or as the result of a resend request.
97	PossResend	N	Required when message may be duplicate of another message sent under a different sequence number.
122	OrigSendingTime	N	Required for message resent as a result of a resend request. If data is unavailable, set to same value as SendingTime.

Standard Footer

Tag	Field Name	Req'd	Values/Comments
10	Checksum	Y	A value calculated by the FIX engine from the message data and transferred with the data. If the data received does not match the CheckSum value, the data was corrupted in transit.

Logon (IN)

Tag	Field Name	Req'd	Values/Comments
	Standard Header	Y	MsgType 35=A
98	EncryptMethod	Y	Must be '0'.
108	HeartBtInt	Y	Heartbeat interval, in seconds. An interval of 0 indicates there are no heartbeats. The maximum supported interval is 90 seconds.
141	ResetSeqNumFlag	N	N [No] Y [Yes, Reset Sequence Numbers]
553	Username	Y	Username/user ID.
554	Password	Y	Password/passphrase.
1137	DefaultAppVerID	Y	Must be '9.'

1408	DefaultCstmApplVerID	N	The schema version is used to ensure consistency across message formats.
Standard Footer		Y	

Logon (OUT)

Tag	Field Name	Req'd	Values/Comments
Standard Header		Y	MsgType 35=A
98	EncryptMethod	Y	Must be '0'.
108	HeartBtInt	Y	Heartbeat interval, in seconds. An interval of 0 indicates there are no heartbeats. The maximum supported interval is 90 seconds.
141	ResetSeqNumFlag	N	N [No] Y [Yes, Reset Sequence Numbers]
1137	DefaultApplVerID	Y	Must be '9.'
Standard Footer		Y	

Sample Messages:

LOGON

[BeginString]	8	=	FIXT.1.1
[BodyLength]	9	=	094
[MsgType]	35	=	A
[MsgSeqNum]	34	=	1
[SenderCompID]	49	=	USERNAME
[SendingTime]	52	=	20240314-19:01:29.652
[TargetCompID]	56	=	EDXM
[EncryptMethod]	98	=	0
[HeartBtInt]	108	=	20
[ResetSeqNumFlag]	141	=	Y
[Username]	553	=	USERNAME
[Password]	554	=	password
[DefaultApplVerID]	1137	=	9
[Checksum]	10	=	074

LOGON RESPONSE

[EncryptMethod]	98	=	0
[HeartBtInt]	108	=	20
[ResetSeqNumFlag]	141	=	Y
[DefaultApplVerID]	1137	=	9

Logout (OUT)

Tag	Field Name	Req'd	Values/Comments
	Standard Header	Y	MsgType 35=5
58	Text	N	Describes the reason for logout.
	Standard Footer	Y	

Application Messages

NewOrderSingle (IN)

Tag	Field Name	Req'd	Values/Comments
	Standard Header	Y	MsgType 35=D
11	ClOrdID	Y	Client Identifier for the Order.
583	ClOrdLinkID	N	Client provided metadata for the order that is echoed on Execution Reports. No behavior currently associated with this tag.
18	ExecInst	N	Additional controls around the execution of an order. Currently supported options: 6 [PARTICIPATE_DONT_INITIATE] - Indicates that this is a Post Only Limit Order.
9416	ExtendedExecInst	N	Designates that an order is a Retail order or a Retail Liquidity Providing order. R [DESIGNATED_RETAIL] - Indicates that this is a Retail Taker order. T [RETAIL_LIQUIDITY_PROVIDER] - Indicates that this is a Retail Maker order.
55	Symbol	Y	The Instrument for the Order.
54	Side	Y	Order Side: 1 [BUY] - This is a buy order. 2 [SELL] - This is a sell order.
60	TransactTime	Y	UTC timestamp. Client provided timestamp for the message. No behavior currently associated with this tag.
38	OrderQty	Y	Quantity of the Order.
40	OrdType	Y	Describes the type of Order being placed: 2 [LIMIT]
44	Price	N	The Price of the Traded Instrument.
59	TimeInForce	N	When the order should expire: 1 [GTC] 3 [IOC] 4 [FOK] 6 [GTD] A [GTD]
126	ExpireTime	N	UTC timestamp. Expiry Time for a GTD Limit Order.

58	Text	N	Client provided text. Unused.
21001	SelfMatchPrevention	N	Defines what action to take if an order self matches: 0 [CANCEL_NEWEST] - Cancels the newly placed aggressive order 1 [CANCEL_OLDEST] - Cancels the existing passive order on the book 3 [CANCEL_BOTH] - Cancels both the newly placed aggressive order and the passive order on the book that it would have self-matched.
528	OrderCapacity	Y	Designates the capacity of the firm placing the order: A [Agency] P [Principal] R [Riskless Principal]
582	CustOrderCapacity	Y	Capacity of customer placing the order: 5 [RetailCustomer] 1 [MemberTradingOnTheirOwnAccount]
Standard Footer		Y	

Sample Messages:

PLACE NEW LIMIT ORDER

[ClOrdID]	11 =	Order-1
[Symbol]	55 =	BTC/USD
[Side]	54 =	1 [BUY]
[OrderQty]	38 =	1
[OrdType]	40 =	2 [LIMIT]
[Price]	44 =	55450.00
[TimeInForce]	59 =	1 [GTC]
[OrderCapacity]	528 =	P [PRINCIPAL]
[CustOrderCapacity]	582 =	1
[TransactTime]	60 =	20240509-09:30:00.000000000

PLACE NEW GTD LIMIT ORDER

[ClOrdID]	11 =	Order-2
[Symbol]	55 =	BTC/USD
[Side]	54 =	1 [BUY]
[OrderQty]	38 =	1
[OrdType]	40 =	2 [LIMIT]
[Price]	44 =	55450.00
[TimeInForce]	59 =	6 [GTD]
[OrderCapacity]	528 =	P [PRINCIPAL]
[CustOrderCapacity]	582 =	1
[ExpireTime]	60 =	20240510-09:30:00.000000000
[TransactTime]	60 =	20240509-09:30:00.000000000

OrderCancelRequest (IN)

Tag	Field Name	Req'd	Values/Comments
Standard Header		Y	MsgType 35=F
41	OrigClOrdID	Y	Client Identifier for the Order to be cancelled.
37	OrderID	N	Exchange provided OrderID. Currently unused.
11	ClOrdID	Y	Client Identifier for the Order.
55	Symbol	Y	The Instrument for the Order.
54	Side	Y	Order Side: 1 [BUY] - This is a buy order. 2 [SELL] - This is a sell order.
60	TransactTime	Y	Client provided timestamp for the message. No behavior currently associated with this tag.
58	Text	N	Client provided text. Unused.
Standard Footer		Y	

Sample Messages:

CANCEL LIMIT ORDER

[OrigClOrdID]	41 =	Order-1
[ClOrdID]	11 =	Cancel-1
[Symbol]	55 =	BTC/USD
[Side]	54 =	1 [BUY]
[TransactTime]	60 =	20240509-11:30:00.000000000

OrderCancelReplaceRequest (IN)

Tag	Field Name	Req'd	Values/Comments
Standard Header		Y	MsgType 35=G
41	OrigClOrdID	Y	Client Identifier for the Order to be cancelled.
37	OrderID	N	Exchange provided OrderID. Currently unused.
11	ClOrdID	Y	Client Identifier for the Order.
583	ClOrdLinkID	N	Client provided metadata for the order that is echoed on Execution Reports. No behavior currently associated with this tag.
18	ExecInst	N	Additional controls around the execution of an order. Currently supported options: 6 [PARTICIPATE_DONT_INITIATE] - Indicates that this is a Post Only Limit Order.
55	Symbol	Y	The Instrument for the Order.
54	Side	Y	Order Side: 1 [BUY] - This is a buy order. 2 [SELL] - This is a sell order.

60	TransactTime	Y	Client provided timestamp for the message. No behavior currently associated with this tag.
38	OrderQty	Y	Quantity of the Order.
40	OrdType	Y	Order Type indicates Limit Order.
44	Price	N	New Price of the Traded Instrument.
59	TimeInForce	N	When the order should expire: 1 [GTC] 3 [IOC] 4 [FOK] 6 [GTD] A [GTD]
126	ExpireTime		UTC timestamp. Expiry Time for a GTD Limit Order.
58	Text	N	Client provided text. Unused.
21001	SelfMatchPrevention	N	Defines what action to take if an order self matches: 0 [CANCEL_NEWEST] - Cancels the newly placed aggressive order 1 [CANCEL_OLDEST] - Cancels the existing passive order on the book 3 [CANCEL_BOTH] - Cancels both the newly placed aggressive order and the passive order on the book that it would have self-matched.
Standard Footer		Y	

Sample Messages:

CANCEL/REPLACE ORDER

[OrigClOrdID]	41 =	Order-2
[ClOrdID]	11 =	Cancel-2
[Symbol]	55 =	BTC/USD
[Side]	54 =	1 [BUY]
[OrderQty]	38 =	15
[OrdType]	40 =	2 [LIMIT]
[Price]	44 =	55450.00
[TimeInForce]	59 =	1 [GTC]
[TransactTime]	60 =	20240509-11:30:00.000000000

OrderMassCancelRequest (IN)

Tag	Field Name	Req'd	Values/Comments
Standard Header		Y	MsgType 35=q
11	ClOrdID	Y	Client Identifier for the Order.
530	MassCancelRequestType	Y	Specifies the Type of the Mass Cancel Request: 1 [CANCEL_ORDERS_FOR_SECURITY]

			7 [CANCEL_ALL_ORDERS]
55	Symbol	N	The Instrument for the Order.
54	Side	N	Order Side: 1 [BUY] - This is a buy order. 2 [SELL] - This is a sell order.
60	TransactTime	Y	Client provided timestamp for the message. No behavior currently associated with this tag.
58	Text	N	Client provided text. Unused.
Standard Footer		Y	

Sample Messages:

CANCEL ALL ORDERS FOR AN INSTRUMENT

[ClOrdID]	11 =	Cancel-All
[MassCancel RequestType]	530 =	1 [CANCEL_ORDERS_FOR_SECURITY]
[Symbol]	55 =	BTC/USD
[TransactTime]	60 =	20240509-11:30:00.000000000

CANCEL ALL ORDERS FOR A SESSION

[ClOrdID]	11 =	Cancel-All
[MassCancel RequestType]	530 =	7 [CANCEL_ALL_ORDERS]
[TransactTime]	60 =	20240509-11:30:00.000000000

OrderMassStatusRequest (IN)

Tag	Field Name	Req'd	Values/Comments
Standard Header		Y	MsgType 35=AF
584	MassStatusReqID	Y	Value assigned by issuer of Mass Status Request to uniquely identify the request.
585	MassStatusReqType	Y	Must be '7'.
Standard Footer		Y	

Sample Messages:

ORDER MASS STATUS REQUEST

[MassStatusReqID]	584 =	9ea5e8ae-3997-43
[MassStatusReqType]	585 =	7

OrderMassStatusRequest (OUT)

Tag	Field Name	Req'd	Values/Comments
-----	------------	-------	-----------------

	Standard Header	Y	MsgType 35=AF
37	OrderID	Y	Exchange provided OrderId. Currently unused.
11	ClOrdID	N	Client Identifier for the Order.
17	ExecID	N	Unique identifier of execution message as assigned by the exchange.
150	ExecType	N	Specifies the Type of the Execution Report: 0 [NEW] 4 [CANCELED] C [EXPIRED] F [TRADE] (Partial fill or fill) I [ORDER STATUS] 8 [REJECTED]
39	OrdStatus	N	Indicates the status of an order: [NEW] 1 [PARTIAL_FILLED] 2 [FILLED] 4 [CANCELED] 0 8 [REJECTED] C [EXPIRED]
55	Symbol	N	The Instrument for the Order.
54	Side	N	Order Side: 1 [BUY] - This is a buy order. 2 [SELL] - This is a sell order.
38	OrderQty	N	Quantity of the Order.
40	OrdType	N	Describes the type of Order being placed: 2 [LIMIT]
44	Price	N	The Price of the Traded Instrument.
59	TimeInForce	N	When the order should expire: 1 [GTC] 3 [IOC] 4 [FOK] 6 [GTD]
151	LeavesQty	N	Order Quantity available for further execution.
14	CumQty	N	Quantity Executed in the current Order Chain.
6	AvgPx	N	Always 0.
60	TransactTime	N	Client provided timestamp for the message. No behavior currently associated with this tag.
584	MassStatusReqID	N	Value assigned by issuer of Mass Status Request to uniquely identify the request.
	Standard Footer	Y	

Sample Messages:

ORDER MASS STATUS REQUEST RESPONSE

[OrderID]	37 =	3198347297553383424
[CIOrdID]	11 =	AXRK7UKDLOT CZJLV
[ExecID]	17 =	0
[ExecType]	150 =	I
[OrdStatus]	39 =	0
[Symbol]	55 =	BTC/USD
[Side]	54 =	1
[OrderQty]	38 =	1
[OrdType]	40 =	2
[Price]	44 =	60000
[TimeInForce]	59 =	1
LeavesQty]	151 =	1
[CumQty]	14 =	0
[AvgPx]	6 =	0
[TransactTime]	60 =	20240229-18:10:18.156000000
[MassStatusReqID]	584 =	9ea5e8ae-3997-43

ExecutionReport (OUT)

Tag	Field Name	Req'd	Values/Comments
	Standard Header	Y	MsgType 35=F
37	OrderID	Y	Exchange provided OrderId. Currently unused.
11	CIOrdID	N	Client Identifier for the Order.
41	OrigCIOrdID	N	Client Identifier for the Order to be cancelled.
583	CIOrdLinkID	N	Client provided metadata for the order that is echoed on Execution Reports.
17	ExecID	Y	Unique identifier of execution message as assigned by the exchange.
150	ExecType	Y	Specifies the Type of the Execution Report: 0 [NEW] 4 [CANCELED] C [EXPIRED] F [TRADE] (Partial fill or fill) 8 [REJECTED]
39	OrdStatus	Y	Indicates the status of an order: 0 [NEW] 1 [PARTIAL_FILLED] 2 [FILLED] 4 [CANCELED] 8 [REJECTED] C [EXPIRED]

103	OrdRejReason	N	<p>Identifies the reason why a new order was rejected by the system. EDX supports the following values:</p> <p>0 [BROKER_EXCHANGE_OPTION] 1 [UNKNOWN_SYMBOL] 5 [UNKNOWN_ORDER] 6 [DUPLICATE_ORDER] 11 [UNSUPPORTED_ORDER_CHARACTERISTIC] 13 [INCORRECT_QUANTITY] 16 [PRICE_EXCEEDS_CURRENT_PRICE_BAND] 99 [OTHER]</p> <p>EDX exclusive values: 100 [ORDER_BOOK_IN_SUSPENDED_STATE] 101 [ORDER_BOOK_IN_HALT_STATE] 102 [ORDER_BOOK_IN_EXPIRED_STATE] 103 [ORDER_BOOK_IN_LISTED_STATE] 104 [ORDER_BOOK_IN_POST_ONLY_STATE] 105 [ORDER_BREACHES_BASE_POSITION_LIMIT] 106 [ORDER_BREACHES_QUOTE_POSITION_LIMIT] 200 [ACCESS_TO_DESIGNATED_RETAIL_DENIED]</p>
1	Account	N	Account mnemonic.
55	Symbol	Y	The Instrument for the Order.
54	Side	Y	<p>Order Side:</p> <p>1 [BUY] - This is a buy order. 2 [SELL] - This is a sell order.</p>
38	OrderQty	N	Quantity of the Order.
40	OrdType	N	<p>Describes the type of Order being placed:</p> <p>2 [LIMIT]</p>
44	Price	N	The Price of the Traded Instrument.
59	TimelnForce	N	<p>When the order should expire:</p> <p>1 [GTC] 3 [IOC] 4 [FOK] 6 [GTD]</p>
126	ExpireTime	N	UTC timestamp. Expiry Time for a GTD Limit Order.
18	Execlnst	N	<p>Additional controls around the execution of an order. Currently supported options:</p> <p>6 [PARTICIPATE_DONT_INITIATE] - Indicates that this is a Post Only Limit Order.</p>
9416	ExtendedExeclnst	N	<p>Designates that an order is a Retail order or a Retail Liquidity Providing order.</p> <p>R [DESIGNATED_RETAIL] - Indicates that this is a Retail Taker order.</p>

			T [RETAIL_LIQUIDITY_PROVIDER] - Indicates that this is a Retail Maker order.
32	LastQty	N	Quantity bought/sold on this (last) fill.
31	LastPx	N	Price of this (last) fill.
151	LeavesQty	Y	Order Quantity available for further execution.
14	CumQty	Y	Quantity Executed in the current Order Chain.
6	AvgPx	Y	Always 0.
75	TradeDate	N	Indicates date of trade referenced in this message.
60	TransactTime	N	Client provided timestamp for the message. No behavior currently associated with this tag.
58	Text	N	Client provided text. Unused.
851	LastLiquidityInd	N	Indicates the liquidity code for this execution: 1 [ADDED_LIQUIDITY] - The order added displayed liquidity to the Exchange book. 2 [REMOVED_LIQUIDITY] - The order removed liquidity from the Exchange book. 70 [RETAIL_LIQUIDITY_ADDED] - The order available for retail access only added liquidity to the Exchange book. 71 [RETAIL_LIQUIDITY_REMOVED] - The order available for retail access only removed liquidity from the Exchange book. 170 [DESIGNATED_RETAIL_ADDED] - The designated retail-only order added liquidity to the Exchange book. 171 [DESIGNATED_RETAIL_REMOVED] - The designated retail-only order removed liquidity from the Exchange book.
880	TrdMatchID	N	Identifier assigned to the Trade by the matching system.
584	MassStatusReqID	N	Value assigned by issuer of Mass Status Request to uniquely identify the request. [OB]
528	OrderCapacity	N	Designates the capacity of the firm placing the order: A [Agency] P [Principal] R [Riskless Principal]
582	CustOrderCapacity	N	Capacity of customer placing the order: 5 [RetailCustomer] 1 [MemberTradingOnTheirOwnAccount]
Standard Footer		Y	

Sample Messages:

EXECUTION REPORT WITH ORDER STATUS = NEW

[OrderID]	37 =	2561500879257600000
[ClOrdID]	11 =	Order-1
[ExecID]	17 =	2
[ExecType]	150 =	0 [NEW]
[OrdStatus]	39 =	0 [NEW]
[Symbol]	55 =	BTC/USD

[Side]	54 =	1 [BUY]
[OrderQty]	38 =	1
[Price]	44 =	55450.00
[TimeInForce]	59 =	1 [GTC]
[LeavesQty]	151 =	1
[CumQty]	14 =	0
[AvgPx]	6 =	0
[TransactTime]	60 =	20240509-11:30:00.000000000

EXECUTION REPORT WITH ORDER STATUS = CANCELED

[OrderID]	37 =	2561500879257600000
[ClOrdID]	11 =	Order-2
[ExecType]	150 =	4 [CANCELED]
[OrdStatus]	39 =	4 [CANCELED]
[Symbol]	55 =	BTC/USD
[Side]	54 =	1 [BUY]
[OrderQty]	38 =	1
[TimeInForce]	59 =	4 [FOK]
[LeavesQty]	151 =	0
[CumQty]	14 =	0
[AvgPx]	6 =	0
[TransactTime]	60 =	20240509-11:30:00.000000000
[Text]	58 =	TIME IN FORCE

EXECUTION REPORT WITH ORDER STATUS = REJECTED

[OrderID]	37 =	NONE
[ClOrdID]	11 =	Order-1
[ExecType]	150 =	8 [REJECTED]
[OrdStatus]	39 =	8 [REJECTED]
[OrdRejReason]	103 =	1 [UNKNOWN_SYMBOL]
[Symbol]	55 =	UNKNOWN
[Side]	54 =	1 [BUY]
[OrdType]	40 =	2 [LIMIT]
[LeavesQty]	151 =	0
[CumQty]	14 =	0
[AvgPx]	6 =	0
[TransactTime]	60 =	20240509-11:30:00.000000000
[Text]	58 =	UNKNOWN INSTRUMENT

EXECUTION REPORT WITH ORDER STATUS = PARTIALLY FILLED

[OrderID]	37 =	2561500879257600000
[ClOrdID]	11 =	Order-1
[ExecID]	17 =	3
[ExecType]	150 =	F [TRADE]
[OrdStatus]	39 =	1 [PARTIALLY_FILLED]
[Symbol]	55 =	BTC/USD

[Side]	54 =	1 [BUY]
[OrderQty]	38 =	1
[Price]	44 =	55450.00
[TimeInForce]	59 =	1 [GTC]
[LastQty]	32 =	1
[LastPx]	31 =	55450.00
[LeavesQty]	151 =	1
[CumQty]	14 =	1
[AvgPx]	6 =	0
[TradeDate]	75 =	20240509
[TransactTime]	60 =	20240509-11:30:00.000000000

EXECUTION REPORT WITH ORDER STATUS = FILLED

[OrderID]	37 =	2561500879257600000
[ClOrdID]	11 =	Order-1
[ExecID]	17 =	3
[ExecType]	150 =	F [TRADE]
[OrdStatus]	39 =	2 [FILLED]
[Symbol]	55 =	BTC/USD
[Side]	54 =	2 [SELL]
[OrderQty]	38 =	1
[Price]	44 =	55450.00
[TimeInForce]	59 =	1 [GTC]
[LastQty]	32 =	1
[LastPx]	31 =	55450.00
[LeavesQty]	151 =	0
[CumQty]	14 =	1
[AvgPx]	6 =	0
[TradeDate]	75 =	20240509
[TransactTime]	60 =	20240509-11:30:00.000000000

OrderCancelReject (OUT)

Tag	Field Name	Req'd	Values/Comments
	Standard Header	Y	MsgType 35=9
37	OrderID	Y	Exchange provided OrderId. Currently unused.
11	ClOrdID	Y	Client Identifier for the Order.
41	OrigClOrdID	Y	Client Identifier for the Order to be cancelled.
583	ClOrdLinkId	N	Client provided metadata for the order that is echoed on Execution Reports. No behavior currently associated with this tag.
39	OrdStatus	Y	Indicates the status of an order: 0 [NEW] 1 [PARTIAL_FILLED] 2 [FILLED] 4 [CANCELED]

			8 [REJECTED] C [EXPIRED]
1	Account	N	Account mnemonic.
75	TradeDate	N	Indicates date of trade referenced in this message.
60	TransactTime	N	Client provided timestamp for the message. No behavior currently associated with this tag.
434	CxlRejResponseTo	Y	Indicates the message type the Reject is in response to.
102	CxlRejReason	N	The code which identifies the reason for the cancel reject. EDX's system supports the following values: 1 [UNKNOWN_ORDER] 8 [PRICE_EXCEEDS_CURRENT_PRICE_BAND] 99 [OTHER] EDX exclusive values: 16 [ORDER_BREACHES_BASE_POSITION_LIMIT] 17 [ORDER_BREACHES_QUOTE_POSITION_LIMIT] 100 [ORDER_BOOK_IN_SUSPENDED_STATE] 101 [ORDER_BOOK_IN_HALT_STATE] 102 [ORDER_BOOK_IN_EXPIRED_STATE] 103 [ORDER_BOOK_IN_LISTED_STATE] 104 [ORDER_BOOK_IN_POST_ONLY_STATE]
58	Text	N	Free format text.
	Standard Footer	Y	

Sample Messages:

ORDER CANCEL REJECT

[OrderID]	37 =	NONE
[ClOrdID]	11 =	Cancel-1
[OrigClOrdID]	41 =	Order-123
[OrdStatus]	39 =	8 [REJECTED]
[TransactTime]	60 =	20240509-11:30:00.000000000
[CxlRejResponseTo]	434 =	1 [ORDER_CANCEL_REQUEST]
[CxlRejReason]	102 =	1 [UNKNOWN_ORDER]
[Text]	58 =	UNKOWN ORDER

OrderMassCancelReport (OUT)

Tag	Field Name	Req'd	Values/Comments
	Standard Header	Y	MsgType 35=R
37	OrderID	N	Exchange provided OrderID. Currently unused.
11	ClOrdID	N	Client Identifier for the Order.
530	MassCancelRequestType	Y	Specifies the Type of the Mass Cancel Request: 1 [CANCEL_ORDERS_FOR_SECURITY]

			7 [CANCEL_ALL_ORDERS]
531	MassCancelResponse	Y	Indicates the action taken by Recipient of the Order Mass Cancel Request, including Reject.
532	MassCancelRejectReason	N	
533	TotalAffectedOrders	N	Total number of orders affected by Mass Order Cancel Request.
> 534	NoAffectedOrders	N	Number of affected orders in the repeating group of order IDs.
> 41	OrigClOrdID	N	As specified on cancel/replace request.
> 535	AffectedOrderID	N	OrderID of an order affected by a Mass Cancel Request.
> 536	AffectedSecondaryOrderID	N	SecondaryOrderID of an order affected by a Mass Cancel Request.
55	Symbol	N	The Instrument for the Order.
54	Side	N	Order Side: 1 [BUY] - This is a buy order. 2 [SELL] - This is a sell order.
60	TransactTime	N	UTC timestamp. Client provided timestamp for the message. No behavior currently associated with this tag.
58	Text	N	Free format text.
Standard Footer		Y	

Sample Messages:

ORDER MASS CANCEL REPORT – CANCEL ALL FOR SESSION

[ClOrdID]	11 =	Cancel-All
[MassCancelRequestType]	530 =	7 [CANCEL_ALL_ORDERS]
[MassCancelResponse]	531 =	7 [CANCEL_ALL_ORDERS]
[TransactTime]	60 =	20240509-11:30:00.000000000

ORDER MASS CANCEL REPORT – CANCEL BY SECURITY

[OrderID]	37 =	2561500879257600000
[ClOrdID]	11 =	Cancel-All
[MassCancelRequestType]	530 =	1 [CANCEL_ORDERS_FOR_A_SECURITY]
[MassCancelResponse]	531 =	1 [CANCEL_ORDERS_FOR_A_SECURITY]
[TransactTime]	60 =	20240509-11:30:00.000000000

ORDER MASS CANCEL REPORT – REJECT

[OrderID]	37 =	NONE
[ClOrdID]	11 =	Cancel-All
[MassCancelRequestType]	530 =	1 [CANCEL_ORDERS_FOR_A_SECURITY]
[MassCancelResponse]	531 =	0 [CANCEL_REQUEST_REJECTED]

[TransactTime]	60 =	20240509-11:30:00.000000000
----------------	------	-----------------------------

